


**STANDARD DEPARTURE CHART -
INSTRUMENT (SID) - ICAO**

TRANSITION ALT 10500 FT
TRANSITION LEVEL BY ATC

TWR 133.600
125.500
362.550
121.500
243.000

**PLOVDIV
RNAV Rwy 12**
RUMEN 2B, RUMEN 2K,
ROVDO 1B



Restrictions:

In case of activation of TRA 67 or TRA 61
RUMEN 2B may not be available.
In case of activation of TRA 63 all departures may be required to
maintain 10000 FT until leaving horizontal limits of TRA 63.

AFTER TAKE-OFF:

Proceed according to cleared departure procedure to the level
assigned by ATC. Strictly follow the prescribed procedure profile,
unless the restrictions are explicitly cancelled by ATC.
If unable to comply inform ATC in good time so that alternative
clearance can be issued.

Certification:

RNAV 1 certification based on GNSS is required
for the RNAV departure procedures

DEPARTURE PROCEDURES:

See coding on the verso of the chart.

P/T	WPT ID	Flyover	Track MAG (GEO)	DIST NM	Turn Direction	Speed KT	ALT FT	Additional Requirements
ROVDO 1B ROVDO ONE BRAVO DEPARTURE								
<i>MNM climb gradient of 6.2% (377FT/NM) to 10500FT AMSL</i>								
CA	-	-	122°(127.2°T)	-	Left	-	1600+	-
DF	ROVDO	-	-	-	-	-	10500+	-
RUMEN 2B RUMEN TWO BRAVO DEPARTURE								
<i>MNM climb gradient of 5% (304FT/NM) to 3500FT AMSL</i>								
CA	-	-	122°(127.2°T)	-	Left	-	1600+	-
DF	PD552	-	-	-	-	-	-	-
TF	PD553	-	295°(300.8°T)	6.7	Left	-	-	-
TF	RUMEN	-	279°(284.6°T)	16.0	-	-	-	-
RUMEN 2K RUMEN TWO KILO DEPARTURE								
<i>MNM climb gradient of 5% (304FT/NM) to 5700FT AMSL</i>								
CF	PD550	Yes	122°(127.2°T)	5.5	-	-	-	-
CA	-	-	122°(127.2°T)	-	Left	-	5700+	-
DF	PD551	-	-	-	-	-	-	-
TF	PD552	-	295°(300.8°T)	4.0	-	-	-	-
TF	PD553	-	295°(300.8°T)	6.7	Left	-	10000	-
TF	RUMEN	-	279°(284.6°T)	16.0	-	-	10000	-

See page LBDP AD 2 - 61.1 for waypoint coordinates